Application No. Applicant(s) 10/092,171 LIEBENOW, FRANK Notice of Allowability Examiner **Art Unit** Hung T. Nguyen 2636 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address-All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 4/15/2005. 2. The allowed claim(s) is/are 1-4,6-15,17-24,26-31,33-54 & 56-57 [ renumbered as 1-51 ]. 3. The drawings filed on <u>06 March 2002</u> are accepted by the Examiner. 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) 🗌 All b) Some\* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). \* Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted. (a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date \_\_ (b) I including changes required by the attached Examiner's Amendment / Comment or in the Office action of Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application (PTO-152) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 6. Interview Summary (PTO-413),

U.S. Patent and Trademark Office PTOL-37 (Rev. 1-04)

Paper No./Mail Date

of Biological Material

3. Information Disclosure Statements (PTO-1449 or PTO/SB/08).

4. 

Examiner's Comment Regarding Requirement for Deposit

Paper No./Mail Date

9. ☐ Other .

7. Examiner's Amendment/Comment

8. X Examiner's Statement of Reasons for Allowance

Application/Control Number: 10/092,171

Art Unit: 2636

## **DETAILED ACTION**

## Allowable Subject Matter

- 1. Claims 1-4, 6-15, 17-24, 26-31, 33-54 & 56-57 are allowed [ renumbered as 1-52].
- 2. The following is a statement of reasons for the indication of allowable subject matter:

There is no prior art that shows the claimed providing a device with protection from weather events includes receiving a notification of a weather event, determining at least one weather characteristics of the weather event and at least one device of a plurality of devices is ascertained as susceptible to the determined weather characteristic. Protective action is taken to protect the at least one device susceptible to the determined weather characteristic from the notified weather event, wherein ascertaining includes querying a database of devices, the database including an indication of susceptibility of the devices to a weather characteristic, wherein the plurality of devices includes of different susceptibilities, wherein the database includes an indication that a first device is susceptible to lightning or flooding and wherein the database includes an indication that a corresponding protective action is disconnecting the device from at least one of an external power connection or an external communication connection such as shutting gas supply, water and wherein the database includes an indication that a first device is not susceptible to weather characteristics, and wherein the protective action taken comprises no action.

Application/Control Number: 10/092,171

Art Unit: 2636

3. Any comments considered necessary by applicant must be submitted no later than the

payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Page 3

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance".

Conclusion

4. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Hung T. Nguyen whose telephone number is (571) 272-2982.

The examiner can normally be reached on Monday to Friday from 8:00am to 5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Hofsass, Jeffery can be reached on (571) 272-2981. The fax phone number for this

Group is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding

should be directed to the Group receptionist whose telephone number is (703) 305-4700.

Examiner:

Hung T. Nguyen

Date:

April 28, 2005